

Table of Contents

<i>Chapter I</i>	<i>Introduction</i>	1-1
<i>Chapter II</i>	<i>Mix Properties</i>		
	<i>Stability</i>	2-1
	<i>Density</i>	2-1
	<i>Workability</i>	2-2
	<i>Flexibility</i>	2-2
	<i>Durability</i>	2-2
	<i>Impermeability</i>	2-3
	<i>Fatigue Resistance</i>	2-3
	<i>Skid Resistance</i>	2-4
	<i>Smoothness</i>	2-4
	<i>Asphalt Binder Content</i>	2-5
	<i>Air Voids</i>	2-5
	<i>Voids in the Mineral Aggregate (VMA)</i>	2-6
<i>Chapter III</i>	<i>Equipment</i>		
	<i>Brooms</i>	3-1
	<i>Tack Distributor</i>	3-1
	<i>Trucks</i>	3-2
	<i>Paver</i>	3-3
	<i>Rollers</i>	3-4
	<i>Windrow Pickup Elevator</i>	3-5
	<i>Material Transfer Vehicle (MTV)</i>	3-6
	<i>Mat Smoothness Machine</i>	3-7
<i>Chapter IV</i>	<i>Role of the Inspector</i>		
	<i>Description</i>	4-1
	<i>Important Documents</i>	4-2
	<i>Duties Typically Performed</i>	4-4
<i>Chapter V</i>	<i>Traffic Control</i>		
	<i>Flagger</i>	5-1
	<i>Standards</i>	5-3

<i>Plan Notes and Detail Plan Sheets</i>	5-4
<i>Traffic Control Devices</i>	5-5
<i>Monitoring and Documentation</i>	5-7
<i>Noncompliance</i>	5-8
<i>Accidents</i>	5-9

Chapter VI

Preparation of Grade and Base

<i>Cleaning and Preparation of Base</i>	6-1
<i>Base Repair</i>	6-1
<i>Base Widening</i>	6-2
<i>Application of Tack Coat</i>	6-3
<i>Treatment of Fixtures</i>	6-4
<i>Fabric Reinforcement</i>	6-4
<i>Scarification</i>	6-5
<i>Heater Scarification</i>	6-6
<i>Cold In-Place Recycling</i>	6-7
<i>Slab Fracturing Processes</i>	6-9
<i>Special Backfill</i>	6-12
<i>Modified Subbase</i>	6-13
<i>Unstable Subgrades and Subbases</i>	6-14

Chapter VII

Mix Delivery, Placement, and Compaction

<i>Truck Unloading</i>	7-1
<i>Dimensions</i>	7-3
<i>String Line</i>	7-4
<i>Edge Alignment</i>	7-4
<i>Wedge, Leveling, and Strengthening Courses</i>	7-5
<i>Paver Speeds and Plant Production</i>	7-6
<i>Paver Operations</i>	7-7
<i>Runouts</i>	7-8
<i>Transverse Joints and Runouts</i>	7-9
<i>Longitudinal Joints</i>	7-10
<i>Hand Spreading</i>	7-12
<i>Compaction</i>	7-13
<i>Roller Operations</i>	7-16
<i>Classes of Compaction</i>	7-17
<i>Checking Roller Coverage</i>	7-19

Chapter VIII Limitations and Miscellaneous Operations

<i>Public Convenience and Safety</i>	8-1
<i>Mat Surface Conditions</i>	8-2
<i>Surface Temperature</i>	8-3
<i>Mat Cooling</i>	8-3
<i>Mix Temperature</i>	8-4
<i>Calendar Dates</i>	8-5
<i>Haul Roads</i>	8-6
<i>Milled Shoulder Rumble Strips</i>	8-6
<i>Granular Shoulders</i>	8-8
<i>Winter Shutdown</i>	8-9
<i>Tickets, Quantities, and Yield</i>	8-11
<i>Contractor Sampling</i>	8-12
<i>Coring</i>	8-13
<i>Smoothness Testing</i>	8-15

Chapter IX

Problems and Solutions

<i>Segregation</i>	9-1
<i>Tack Coat Application</i>	9-5
<i>Flushing or Bleeding</i>	9-6
<i>Tender Mixes</i>	9-7
<i>Mix Pickup</i>	9-8
<i>Roller Marks</i>	9-9
<i>Wavy Surface</i>	9-9
<i>Reflective Bumps</i>	9-10
<i>Cracking</i>	9-11
<i>Rutting</i>	9-13
<i>Crushing Aggregate</i>	9-14
<i>Longitudinal (Centerline) Joints</i>	9-14
<i>Screeed Marks / Mat Texture</i>	9-17
<i>Mat Problem Trouble-Shooting</i>	9-18

Chapter X

Appendix

<i>Superpave (Gyratory Mix Design) Discussion</i>	10-1
<i>Percent Within Limits (PWL) on HMA Projects</i>	10-3
<i>Factors Influencing Compaction</i>	10-7
<i>Mat Problem Trouble-Shooting Guide</i>	10-8
<i>Asphalt Terminology</i>	10-9